# Product Specifications



**POWERED BY** 





### F4PNF-C

Type N Female for 1/2 in FSJ4-50B cable

## **General Specifications**

Interface N Female
Body Style Straight
Brand HELIAX®
Mounting Angle Straight

Ordering Note CommScope® standard product (Global)

### **Electrical Specifications**

Connector Impedance 50 ohm

Operating Frequency Band 0 – 12000 MHz

Cable Impedance 50 ohm

3rd Order IMD, typical -120 dBm @ 910 MHz 3rd Order IMD Test Method Two +43 dBm carriers

RF Operating Voltage, maximum (vrms) 707.00 V
dc Test Voltage 2000 V
Outer Contact Resistance, maximum 0.30 mOhm
Inner Contact Resistance, maximum 2.00 mOhm
Insulation Resistance, minimum 5000 MOhm

Average Power 0.6 kW @ 900 MHz

Peak Power, maximum 10.00 kW Insertion Loss, typical 0.05 dB Shielding Effectiveness -110 dB

# Product Specifications




F4PNF-C





### **Outline Drawing**



# **Mechanical Specifications**

Outer Contact Attachment Method Self-flare Captivated Inner Contact Attachment Method Outer Contact Plating Trimetal Inner Contact Plating Gold Attachment Durability 25 cycles Interface Durability 500 cycles

Interface Durability Method IEC 61169-16:9.5 Connector Retention Tensile Force 890 N | 200 lbf Connector Retention Torque 5.42 N-m | 48.00 in lb 66.72 N | 15.00 lbf Insertion Force

MIL-C-39012C-3.12, 4.6.9

Pressurizable

#### **Dimensions**

Insertion Force Method

Nominal Size 1/2 in

Diameter 22.00 mm | 0.87 in Length 53.01 mm | 2.09 in Weight 95.26 g | 0.21 lb

## **Environmental Specifications**

# Product Specifications



**POWERED BY** 



F4PNF-C -55 °C to +85 °C (-67 °F to +185 °F) Operating Temperature

Storage Temperature -55 °C to +85 °C (-67 °F to +185 °F)

Immersion Depth 1 m **Immersion Test Mating** Mated

Immersion Test Method IEC 60529:2001, IP68

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66 Moisture Resistance Test Method MIL-STD-202F, Method 106F

Mechanical Shock Test Method MIL-STD-202F, Method 213B, Test Condition C

Thermal Shock Test Method MIL-STD-202, Method 107, Test Condition A-1, Low Temperature -55 °C

MIL-STD-202F, Method 204D, Test Condition B Vibration Test Method Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

#### **Standard Conditions**

Attenuation, Ambient Temperature 20 °C | 68 °F Average Power, Ambient Temperature 40 °C | 104 °F

## **Return Loss/VSWR**

Frequency Band	VSWR	Return Loss (dB)	
0-1000 MHz	1.03	36.00	
1000-2300 MHz	1.05	32.00	
2300-3000 MHz	1.07	29.00	
3000-4000 MHz	1.17	22.00	
4000-8000 MHz	1.38	16.00	
8000-10200 MHz	1.5	14.00	

# **Regulatory Compliance/Certifications**

Agency

Classification RoHS 2011/65/EU Compliant by Exemption

China RoHS SJ/T 11364-2006 Above Maximum Concentration Value (MCV)

ISO 9001:2008 Designed, manufactured and/or distributed under this quality management system





#### \* Footnotes

**Immersion Depth** Immersion at specified depth for 24 hours

0.05v freq (GHz) (not applicable for elliptical waveguide) Insertion Loss, typical