Product Specifications



POWERED BY





F4PNMV2-HC

Type N Male for 1/2 in FSJ4-50B cable

General Specifications

InterfaceN MaleBody StyleStraightBrandHELIAX®Mounting AngleStraight

Ordering Note CommScope® standard product (Global)

Electrical Specifications

Connector Impedance 50 ohm

Operating Frequency Band 0 – 12000 MHz

Cable Impedance 50 ohm

3rd Order IMD, typical -120 dBm @ 910 MHz 3rd Order IMD Test Method Two +43 dBm carriers

RF Operating Voltage, maximum (vrms) 707.00 V
dc Test Voltage 2000 V
Outer Contact Resistance, maximum 0.30 mOhm
Inner Contact Resistance, maximum 2.00 mOhm
Insulation Resistance, minimum 5000 MOhm

Average Power 0.6 kW @ 900 MHz

Peak Power, maximum 10.00 kW Insertion Loss, typical 0.05 dB Shielding Effectiveness -110 dB

Product Specifications




F4PNMV2-HC

POWERED BY



Outline Drawing



Mechanical Specifications

Outer Contact Attachment Method Crush-flare Inner Contact Attachment Method Captivated Outer Contact Plating Trimetal Inner Contact Plating Gold Attachment Durability 25 cycles Interface Durability 500 cycles Interface Durability Method IEC 61169-16:9.5 Connector Retention Tensile Force 890 N | 200 lbf

Connector Retention Torque 5.42 N-m | 48.00 in lb
Insertion Force 66.72 N | 15.00 lbf
Insertion Force Method MIL-C-39012C-3.12, 4.6.9

Pressurizable No.

Coupling Nut Proof Torque 4.52 N-m | 40.00 in lb Coupling Nut Retention Force 444.82 N | 100.00 lbf Coupling Nut Retention Force Method MIL-C-39012C-3.25, 4.6.22

Dimensions

Nominal Size 1/2 in

Environmental Specifications

Product Specifications



POWERED BY



F4PNMV2-HC

Operating Temperature -55 °C to +85 °C (-67 °F to +185 °F) Storage Temperature -55 °C to +85 °C (-67 °F to +185 °F)

Immersion Depth1 mImmersion Test MatingMated

Immersion Test Method IEC 60529:2001, IP68

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66
Moisture Resistance Test Method MIL-STD-202F, Method 106F

Mechanical Shock Test Method MIL-STD-202F, Method 213B, Test Condition C

Thermal Shock Test Method MIL-STD-202F, Method 107G, Test Condition A-1, Low Temperature -55 °C

Vibration Test Method MIL-STD-202F, Method 204D, Test Condition B
Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

Standard Conditions

Attenuation, Ambient Temperature 20 °C | 68 °F Average Power, Ambient Temperature 40 °C | 104 °F

Return Loss/VSWR

| Frequency Band | VSWR | Return Loss (dB) |
|----------------|------|------------------|
| 0-1000 MHz | 1.03 | 36.00 |
| 1010-2000 MHz | 1.04 | 35.00 |
| 2010-3000 MHz | 1.08 | 28.00 |

Regulatory Compliance/Certifications

Agency

RoHS 2011/65/EU China RoHS SJ/T 11364-2006

ISO 9001:2008

Classification

Compliant by Exemption

Above Maximum Concentration Value (MCV)

Designed, manufactured and/or distributed under this quality management system





* Footnotes

Immersion Depth Immersion at specified depth for 24 hours

Insertion Loss, typical 0.05v freq (GHz) (not applicable for elliptical waveguide)